

AIST-MeRAM Bug Report

1. What kind of problem(s) have you encountered? (Please check all that apply)

- | | |
|---|---|
| <input type="checkbox"/> Installation failure | <input type="checkbox"/> An error message appears, and subsequent operations cannot be performed. |
| <input type="checkbox"/> Forced application termination | <input type="checkbox"/> Unable to set assessment options |
| <input type="checkbox"/> Unable to generate assessment results | <input type="checkbox"/> Unable to print out assessment results |
| <input type="checkbox"/> Unable to save assessment results as PDF | <input type="checkbox"/> Others () |

2. Please tell us about your PC operating environment and usage of AIST-MeRAM.

⊙ What is the version of AIST-MeRAM that you are currently using?

※For version information, go to AIST-MeRAM Main Menu “Help” ⇒ “Version Information”.

Ver . . .

⊙ Which operating system are you using? (Please check the appropriate box.)

- | | |
|--|--|
| <input type="checkbox"/> Windows Vista (SP) | <input type="checkbox"/> Windows 7 (SP) |
| <input type="checkbox"/> Windows 8/8.1 (SP) | |

⊙ Which AIST-MeRAM assessment mode are you using? (Please check the appropriate box.)

- | | |
|----------------------------------|-----------------------------------|
| <input type="checkbox"/> Initial | <input type="checkbox"/> Detailed |
| <input type="checkbox"/> Batch | |

⊙ Which AIST-MeRAM function are you using? (Please check the appropriate box.)

- | | |
|--|--|
| <input type="checkbox"/> Hazard Assessment | <input type="checkbox"/> Exposure Assessment |
| <input type="checkbox"/> Risk Assessment | <input type="checkbox"/> Report Generation |
| <input type="checkbox"/> Data Update | <input type="checkbox"/> Others () |

⊙ How often does the problem occur? (Please check the appropriate box.)

- | | |
|--|---|
| <input type="checkbox"/> Every time | <input type="checkbox"/> Every other time |
| <input type="checkbox"/> Once every 10 times | <input type="checkbox"/> Unknown |

⊙ Please tell us how the problem has occurred.

(e.g.) Boost AIST-MeRAM ⇒ Select Detailed Assessment mode ⇒ Select Exposure Assessment ⇒ Select test substance (nonylphenol) ⇒ Select CSCL screening assessment model ⇒ Enter amounts of manufacturing (1t/year) and domestic shipment (1t/year) ⇒ Select usage category (solvents for chemical manufacture and processing) ⇒ Click the “Next” button.

--

⊙ If you have a screen capture or assessment file showing the problem you have encountered, please provide it to us with this report.

※ How to take a screen capture

Press the “PrtScn” key on your keyboard while the screen is displaying the error. Open “Paint” from the accessories selection

in your start menu, and then “Paste” it into a file. Crop out unnecessary portions of the screen shot, and save it as an image.

Thank you for your cooperation.